

SANDING & GRINDING

SANDING DRUM WITH CONICAL HOLE


Fits on shaft of router. Complete with sanding sleeve, 80 grit.

Ref.: AC-T8030



SANDING SLEEVES

Size: 73MM x 200MM



- Ref.: AC-T8030100 Grit 100
- Ref.: AC-T8030080 Grit 80
- Ref.: AC-T8030040 Grit 40


SANDING KIT

An assortment of five popular drum sizes for sanding, polishing, finishing, and grinding curves, corners, flat surfaces or irregular shapes.

Kit includes:

- Rubber cushioned self-expanding sanding drums,
- Abrasive Sleeves; 60x Grit (Coarse), 80x Grit (Medium), and 120x Grit (Fine), Each come in the following assorted sizes: 1/2"x1/2", 1/2"x1 1/2", 3/4"x1", 2"x1 1/2", and 1"x1".

All Drums in this Kit have 1/4" shank diameter except 1/2"x1/2" which has an 1/8" shank diameter.



Ref.: WOOD808-203 15-Piece kit

Replacement Sleeves:

- WOOD808-210 1/2" x 1/2"
- WOOD808-217 3/4" x 1"
- WOOD808-224 1" x 1"
- WOOD808-231 1 1/2" x 1 1/2"
- WOOD808-233 2" x 1 1/2"

SANDING & GRINDING

PNEUMATIC INFLATED ABRASIVE BACKUP WHEELS

An abrasive backup wheel that puts a cushion of air behind the abrasive. Flexible contact area conforms to the surface and results in a smoother finish in less time.

Install on any grinder - portable or bench.

Inflate 3-5 lbs pressure, just enough so that the sleeve is secure.

Cool running, vibration free.

Arbor has 1/2 - 13 thread size which fits routers with a 1/2" thread.

The wheel will not gouge or cut.



Maximum RPM:

7000 for models PEL-320 & PEL-331

3600 for model PEL-3270

Ref.: **PEL-320 (Regular wheel), PEL-320-HD (Heavy duty wheel)**

3D x 2

Band: 2 1/4 x 9 5/8

Arbor: 5/8, 1/2, 3/8, 5/8-11, 1/2-13, 3/8-24

Maximum RPM: 7000

Weight: 10 oz

Accessories & Parts:

Ref.: PEL-320-1

Aluminum Arbor Core

Ref.: PEL-320-2, 320-2HD

Rubber Drums

Ref.: PEL-320-3

Side Plates, 2/Set

Ref.: PEL-320-5

Plate Screws 10-24

Ref.: **PEL-331 (Regular wheel), PEL-331-HD (Heavy duty wheel)**

3 1/4D x 3

Band: 3 x 10-11/16

Arbor: 5/8, 1/2, 3/8, 5/8-11, 1/2-13, 3/8-24

Maximum RPM: 7000

Weight: 1 lb 3 oz

Accessories & Parts:

Ref.: PEL-331-1

Aluminum Arbor Core

Ref.: PEL-331-2, 331-2HD

Rubber Drums

Ref.: PEL-331-3

Side Plates, 2/Set

Ref.: PEL-331-5

Plate Screws 10-24

Ref.: **PEL-3270**

3 1/4D x 7

Band: 7 x 10-11/16

Arbor: 5/8-11 (5/8 Max)

Maximum RPM: 3600

Weight: 2 lbs

Accessories & Parts:

Ref.: PEL-3270-1

Aluminum Arbor Core

Ref.: PEL-3270-2, 3270-2HD

Rubber Drums

Ref.: PEL-3270-3

Side Plates, 2/Set

Ref.: PEL-3270-5

Plate Screws 10-24

SANDING & GRINDING

SCOTCHBRITE SANDING WHEELS


Used for sanding and buffing at the same time.

Large Sanding Wheel

Uses the arbour adapter for routers with 1/2" threads (**PEL-400**)

Size: 1 1/4" x 3"

- Ref.: T-051144-80801 80 grit
- Ref.: T-051144-80678 120 grit
- Ref.: T-051144-80799 180 grit




Small Sanding Wheel

Small wheels must be used with the arbour adapter (**PEL-400**) and the black adapter (**T-048011-15408**) to fit on routers with 1/2" threads.

Size: 1 1/4" x 2 1/2"

- Ref.: T-051144-80802 80 grit
- Ref.: T-051144-80679 120 grit
- Ref.: T-051144-80800 180 grit



Adapters

- Ref.: T-048011-15408 2.5" x 1.25" Adapter
- Ref.: PEL-400 Arbor Adapter

